

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services-Irrigation & CAD Department- Allegations of corruption against Sri P.Hanumantha Rao, formerly Junior Assistant O/o Chief Engineer, Nagarjuna Sagar Project , Right Canal Unit Office, Guntur District - Convicted by the Special Judge for SPE & ACB Cases, Vijayawada in its Judgment, dated 09.09.2009 in C.C.No.10/2007 in Crime No.23/RCT-ACB/VJA/2004 of Anti Corruption Bureau, Vijayawada – Punishment of dismissal from service under Rule 9 of A.P Civil Services (Classification, Control & Appeal) Rules, 1991 against Sri .P. Hanumatha Rao , formerly Junior Assistant – Awarded- Orders – Issued.

=====

IRRIGATION & C.A.D. (IW: SERVICES – VI (2) DEPARTMENT

G.O.Ms.No. 273

Dt: 23.10.2009.

Read :

From the Special Judge for SPE & ACB cases, Vijayawada, Judgment,
dated:09.09.2009, in CC No.10/2007

O R D E R:

Sri P. Hanumantha Rao, formerly Junior Assistant ,office of the Chief Engineer, Nagarjuna Sagar Project Right Canal Unit Office, Guntur District was convicted by the Special Judge for SPE & ACB cases, Vijayawada in CC No.10/2007 on 09.09.2009, U/s 248 (2) Cr.P.C. and sentenced him to undergo simple imprisonment for a period of one year and to pay fine of Rs 1,000/- and in default to suffer simple imprisonment for three months for the offence punishable under section 7 of the Prevention of Corruption Act 1988. He further sentenced to undergo simple imprisonment for one year and to pay a fine of Rs. 1,000/- and in default of payment of fine to suffer simple imprisonment for three months for the offence punishable under section 13(1) (d) r/w 13 (2) of the Preventing of Corruption Act, 1988. Both the substantive sentences were ordered to run concurrently.

2. Government have considered the matter and decided to dismiss Sri P. Hanumantha Rao, formerly Junior Assistant from service in terms of clause (i) of Rule 25 of the APCS (CCA) Rules, 1991. Accordingly, Government directs that Sri P. Hanumantha Rao , formerly Junior Assistant be dismissed from Government Service.

3. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to take necessary action in the matter accordingly and acknowledge the receipt of this order.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri P. Hanumantha Rao, formerly Junior Assistant ,
through the ENC(AW), I & CAD Department, Hyderabad.
The ENC(AW), I & CAD Department, Hyderabad.

Copy to:

The Director General, Anti Corruption Bureau, Hyderabad.
The Secretary to A.P Vigilance Commission, Hyderabad.
The Accountant General, Andhra Pradesh, Hyderabad.
SF/SC.

// FORWARDED:: BY ORDER //

SECTION OFFICER